

DAFTAR PUSTAKA

- [1] T. Rahman, M. A. Fadhlulloh, A. B. D. Nandiyanto, and A. Mudzakir, "Review : Sintesis Karbon Nanopartikel," *Integr. Proses*, vol. 5, pp. 120–131, 2015.
- [2] M. Hosokawa, K. Nogi, M. Naito, and T. Yokoyama, *Nanoparticle Technology Handbook*. .
- [3] J. Perez, L. Bax, and C. Escolano, "Roadmap Report on Nanoparticles," *Willems van Wildenb.*, pp. 1–57, 2005.
- [4] M. Abdullah, Y. Virgus, Nirmin, and Khairurrijal, "Review : Sintesis Nanomaterial," *Nanosains & Nanoteknologi*, vol. 1, pp. 33–57, 2008.
- [5] T. Prasad Yadav, R. Manohar Yadav, and D. Pratap Singh, "Mechanical Milling: a Top Down Approach for the Synthesis of Nanomaterials and Nanocomposites," *Nanosci. Nanotechnol.*, vol. 2, pp. 22–48, 2012.
- [6] J. Ryu, Y. W. Suh, D. J. Suh, and D. J. Ahn, "Hydrothermal preparation of carbon microspheres from mono-saccharides and phenolic compounds," *Carbon N. Y.*, vol. 48, no. 7, pp. 1990–1998, 2010.
- [7] Q. Wang, H. Li, L. Chen, and X. Huang, "Monodispersed hard carbon spherules with uniform nanopores," *Carbon N. Y.*, vol. 39, no. February, pp. 2211–2214, 2001.
- [8] S. Ratchahat, N. Viriya-empikul, K. Faungnawakij, T. Charinpanitkul, and A. Soottitantawat, "Synthesis of Carbon Microspheres from Starch by Hydrothermal Process," *Sci. J. Ubon Ratchathani Univ.*, vol. 1, no. 2, pp. 40–45, 2010.
- [9] R. Cui and J. Zhu, "Fabrication of a novel electrochemical immunosensor based on the gold nanoparticles / colloidal carbon nanosphere hybrid material," *Electrochim. Acta J.*, vol. 55, pp. 7814–7817, 2010.
- [10] J. Pang *et al.*, "Silica-Templated Continuous Mesoporous Carbon Films by a Spin-Coating Technique," *Adv. Mater.*, vol. 16, no. 11, pp. 884–886, 2004.
- [11] J. Schuster *et al.*, "Spherical Ordered Mesoporous Carbon Nanoparticles with High Porosity for Lithium – Sulfur Batteries," *Angew. Chemie Int. Ed.*, vol. 51, pp. 3591–3595, 2012.
- [12] M. Liu, L. Gan, Y. Li, D. Zhu, Z. Xu, and L. Chen, "Synthesis and

- electrochemical performance of hierarchical porous carbons with 3D open-cell structure based on nanosilica-embedded emulsion-templated polymerization,” *Chinese Chem. Lett.*, pp. 3–7, 2014.
- [13] N. Brun, K. Sakaushi, L. Yu, L. Giebeler, J. Eckert, and M. M. Titirici, “Hydrothermal carbon-based nanostructured hollow spheres as electrode materials for high- power lithium-sulfur batteries,” *Phys. Chem. Chem. Phys.*, vol. 15, pp. 6080–6087, 2013.
- [14] J. Liu, J. Yao, H. Wang, and K.-Y. Chan, “Highly Dispersible Microporous Carbon Particles from Furfuryl Alcohol,” *NSTI-Nanotech*, vol. 2, pp. 171–174, 2005.
- [15] C. Falco *et al.*, “Hydrothermal Carbons from Hemicellulose-Derived Aqueous Hydrolysis Products as Electrode Materials for Supercapacitors,” *ChemSusChem*, vol. 6, pp. 374–382, 2013.
- [16] Z. Shuo, W. Cheng-yang, C. Ming-ming, S. Zhi-qiang, and L. Na, “Preparation of carbon spheres from potato starch and its stabilization mechanism,” *New Carbon Mater.*, vol. 25, no. 6, pp. 438–443, 2010.
- [17] A. N. Mohan and B. Manoj, “Synthesis and Characterization of Carbon Nanospheres from Hydrocarbon Soot,” *Int. J. Electrochem. Sci.*, vol. 7, pp. 9537–9549, 2012.
- [18] J. B. Rao, G. J. Catherin, I. N. Murthy, D. V. Rao, and B. N. Raju, “Production of nano structured silicon carbide by high energy ball milling,” *Int. J. Eng. Sci. Technol.*, vol. 3, pp. 82–88, 2011.
- [19] T. B. Waluyo, Suryadi, and N. T. Rochman, “Pembuatan Partikel Nano Fe₂O₃ dengan Kombinasi Ball-Milling dan Ultrasonic-Milling,” *Pros. Pertem. Ilm. XXVII HFI Jateng DIY*, pp. 48–51, 2013.
- [20] M. Muhriz, A. Subagio, and Pardoyo, “Pembuatan Zeolit Nanopartikel dengan Metode High Energy Milling,” *Sains dan Mat.*, vol. 19, pp. 11–17, 2011.
- [21] A. M. Ghrair, J. Ingwersen, and T. Streck, “Nanoparticulate Zeolitic Tuff for Immobilizing Heavy Metals in Soil: Preparation and Characterization,” *Water. Air. Soil Pollut.*, vol. 203, no. 1–4, pp. 155–168, 2009.
- [22] R. Fajarin, H. Purwaningsih, Widyastuti, D. Susanti, and R. K. Helmy, “Milling Time and Temperature Dependence on Fe₂TiO₅ Nanoparticles

- Synthesized by Mechanical Alloying Method,” *3rd Int. Conf. Theor. Appl. Phys.*, pp. 63–66, 2014.
- [23] S. G. Sukaryo and W. A. Adi, “Pembentukan Nanopartikel Paduan CoCrMo dengan Metoda Pemaduan Mekanik,” *Maj. Metal.*, vol. 27, pp. 51–58, 2012.
 - [24] Herminiwati, S. Waskito, C. M. H. Purwanti, Prayitno, and Dwi Ningsih, “Pembuatan Bahan Penyamak Nano Nabati dan Aplikasinya dalam Penyamakan Kulit,” *Maj. Kulit, Karet dan Plast.*, vol. 31, pp. 15–22, 2015.
 - [25] F. G. Salihati and H. Ardhyanta, “Studi Pembuatan Karbon Hitam dari Bambu Ori (*Bambusa arundinacea*) dan Bambu Petung (*Dendrocalamus asper*),” *Tek. Pomits*, vol. 1, pp. 1–6, 2013.
 - [26] E. A. Widjaja, *Identikit Jenis-jenis Bambu di Jawa*. 2001.
 - [27] D. Farrelly, *The Book of Bamboo*. 1984.
 - [28] D. Ediningtyas and V. Winarto, *Mau Tahu Tentang Bambu ?* 2012.
 - [29] C. L. De Castro and B. S. Mitchell, “Nanoparticles from Mechanical Attrition,” *Synth. Funct. Surf. Treat. Nanoparticles*, pp. 1–14, 2002.
 - [30] A. Wank and B. Wielage, “High Energy Ball Milling - a Promising Route for Production of Tailored Thermal Spray Consumables,” *Conf. Mod. wear Corros. Resist. coatings obtained by Therm. Spray.*, pp. 1–10, 2003.
 - [31] Horiba, “Nanoparticle Analyzer Nano Partica SZ-100 Series.”
 - [32] Jeol, “JSM-6510 series Scanning Electron Microscope.”
 - [33] B. J. Inkson, *Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) for Materials Characterization*. Elsevier Ltd, 2016.
 - [34] Y. Bai, F. He, B. Fu, and X. Han, “Energy Calculation Model of Ball Kinematics Based on Ball Mill Coal Load,” *Int. J. Innov. Comput. Inf. Control*, vol. 10, no. 5, pp. 1715–1725, 2014.
 - [35] R. Ikono *et al.*, “Sintesis Nanopartikel ZnO dengan Metode Mechanochemical Milling,” *Pros. Pertem. Ilm. Ilmu Pengetah. dan Teknol. Bahan*, pp. 60–62, 2012.
 - [36] Y. Jian-wu, L. Ying, P. A-fang, and L. Quan-guo, “Fabrication of nano-crystalline W-Ni-Fe pre-alloyed powders by mechanical alloying technique,” *Trans. Nonferrous Met. Soc. China*, vol. 19, no. 2006259, pp. s711–s717, 2009.

- [37] Y. Do Kim, J. Y. Chung, J. Kim, and H. Jeon, "Formation of nanocrystalline Fe – Co powders produced by mechanical alloying," *Mater. Sci. Eng.*, vol. A291, pp. 17–21, 2000.
- [38] J. Eckert and I. Borner, "Nanostructure formation and properties of ball-milled NiAl intermetallic compound," *Mater. Sci. Eng.*, vol. A239-240, pp. 619–624, 1997.
- [39] M. Umemoto, Z. G. Liu, K. Masuyama, X. J. Hao, and K. Tsuchiya, "Nanostructured Fe-C Alloys Produced by Ball Milling," *Scr. mater*, vol. 44, pp. 1741–1745, 2001.